

Utah State University

DigitalCommons@USU

---

Modeling

US/IBP Desert Biome Digital Collection

---

1971

## Panic Version I

U.S. International Biological Program

Follow this and additional works at: [https://digitalcommons.usu.edu/dbiome\\_model](https://digitalcommons.usu.edu/dbiome_model)


---

### Recommended Citation

US International Biological Program. 1971. Panic Version I. US International Biological Program, Desert Biome, Logan, UT. Modelling Report Series Number 8.

This Article is brought to you for free and open access by the US/IBP Desert Biome Digital Collection at DigitalCommons@USU. It has been accepted for inclusion in Modeling by an authorized administrator of DigitalCommons@USU. For more information, please contact [digitalcommons@usu.edu](mailto:digitalcommons@usu.edu).





**DESERT BIOME**  
US/IBP ANALYSIS OF ECOSYSTEMS

---

# **MODELS**

---

PANIC

VERSION 1

MODELLING REPORT SERIES NUMBER 8

PANIC

VERSION 1

DESERT BIOME  
UTAH STATE UNIVERSITY  
LOGAN, UTAH 84321  
MAY 1971

THE PREPARATION OF THIS MODEL WAS WHOLLY SUPPORTED THROUGH THE US/IBP  
DESERT BIOME PROGRAM, UNDER GRANT # GB 15886 FROM THE NATIONAL SCIENCE  
FOUNDATION.

## I N T R O D U C T I O N

Reports in this series are intended for internal use by Desert Biome collaborators. They are not to be quoted or referred to in formal publications. These reports have been produced by the Desert Biome Modelling Group, with the assistance of participants in the Desert Biome and other researchers.

The main function of the models, at this stage of their development, is to provide guidance in the research efforts of the Biome. Therefore, it will be noted that most of the information which they contain is fragmentary evidence, best available estimates, arbitrary assumptions or non-Biome supported research. The collection and incorporation of more accurate data will come after these models have been prepared in this form. Validation of the models will also come later.

Any use of the models must recognize the limitations imposed by their development at this early stage of research.

- (1) Biological interpretations must be performed with extreme caution. Output, for example, should be viewed in relation to system behavior (stability, general time relationships, relative magnitude of the variables, general responses to parameter modifications, etc.). These properties should be related to the processes incorporated in the model structure. No particular significance should be attached to the specific numbers given as output.
- (2) Data included in these models must not be used without explicit approval of the investigators who have supplied them to us. Please contact the Desert Biome Central Office for details.
- (3) The material contained in the models does not constitute publication. It is subject to revision. The modeling group requests that this material not be cited without their expressed permission.

As particular models are revised we will be re-issuing them in new versions. The versions will be numbered according to the general scheme:

- Version 1. Models which have been developed by the modeling group in isolation from subject area specialists who have provided the question which has been modeled.
- Version 2. Models revised to incorporate subject-areas specialist's criticisms.
- Version 3. Models revised to incorporate finds of biome-sponsored research.

PANIC was written to model the question BA0104:

"What is the effect of different freeze dates and filling regimes of the Jornada Playa on the growth of the Panicum on the playa floor?"

This small model is primitive description of the actual processes involved in determining the growth of the panicum.

16

PANIC: PROC OPTIONS (MAIN);

```

17      PUT EDIT ('WEEKS','BIOMASS'){SKIP,COL(14),A,COL(20),A);
18      PUT EDIT ('EVENTS','YEAR','WET','DRY','AB GRND','ROOT',
              'CROWN','ST DEAD','LITTER')
              (SKIP,COL(1),A,COL(11),A,COL(14),A,COL(17),A,COL(20),A,
              COL(27),A,COL(34),A,COL(41),A,COL(48),A);

19      DO CURRENT_YEAR = 1 TO #_YEARS_TO_RUN;

      BEGIN YEAR LOOP

      RESET YEAR ACCUMULATORS TO ZERO

      TOTAL_WEEKS_FILLED = 0;
      TOTAL_WEEKS_OF_WET_GROWTH = 0;
      TOTAL_WEEKS_OF_DRY_GROWTH = 0;

      GET WEATHER INFORMATION FOR CURRENT YEAR

      GET DATA;

      MAKE SURE WEEK_OF_REFILL IS GREATER THAN
      WEEK_OF_NEXT_FREEZE IF THERE IS ONLY ONE FILLING IN THE
      YEAR

      IF WEEK_OF_REFILL = 0 THEN WEEK_OF_REFILL = 53;

      UPDATE ROOT BIOMASS COMPARTMENTS;
      THERE IS NO GROWTH DURING PREFILL_DURATION

      ROOT_INCREMENT = TOTAL_ROOT_BIOMASS
                      - ROOT_CROWN_BIOMASS;
      NEW_ROOT_CROWNS = ROOT_INCREMENT / 10;
      ROOT_CROWN_BIOMASS = ROOT_CROWN_BIOMASS
                      + NEW_ROOT_CROWNS;

```





```

39  /*      FOOT_CROWN_MORTALITY = ROOT_CROWN_BIOMASS
      *      MORTALITY_OF_SUBMERGED_CROWNS
      *      (WEEKS_FILLED);
40  FOOT_CROWN_BIOMASS = ROOT_CROWN_BIOMASS
      - ROOT_CROWN_MORTALITY;
      */
      /*
      *****
      /*
      /*      UPDATE WEEK COUNTER FOR FILLED PERIOD
      /*
      *****
      /*
      /*      WET_SOIL_ENTRY:
      EVENT = 'WET SOIL';
      PUT EDIT (EVENT) (SKIP,A);
      CURRENT_WEEK = CURRENT_WEEK + WEEKS_FILLED;
      WEEK_SOIL_WILL_GO_DRY = CURRENT_WEEK + WEEKS_SOIL_WET;
      WEEK_OF_NEXT_EVENT = MIN (WEEK_OF_REFILL,
      WEEK_OF_NEXT_FREEZE,
      WEEK_SOIL_WILL_GO_DRY);
      WEEKS_FOR_WET_GROWTH = WEEK_OF_NEXT_EVENT - CURRENT_WEEK;
      TOTAL_WEEKS_OF_WET_GROWTH = TOTAL_WEEKS_OF_WET_GROWTH
      + WEEKS_FOR_WET_GROWTH;
      MAX_ABOVEGROUND_BIOMASS_INCR = TOTAL_ROOT_BIOMASS
      * WET_GROWTH_RATE
      (WEEKS_FOR_WET_GROWTH);
      */
      /*
      *****
      /*
      /*      GRAZE REMOVAL
      /*
      *****
      /*
      /*      GRAZE_REMOVED = 10;
      ABOVEGROUND_BIOMASS = ABOVEGROUND_BIOMASS
      + MAX_ABOVEGROUND_BIOMASS_INCR
      - GRAZE_REMOVED;
      */
      /*
      *****
      /*
      /*      ASSUME 1:10 ROOT:SHOOT RATIO
      /*
      *****
      /*
      /*      ROOT_BIOMASS = ABOVEGROUND_BIOMASS / 10;
      /*
      *****
      /*
      /*      UPDATE WEEK COUNTER FOR WFT GROWTH PERIOD
      /*
      *****
      /*
      /*      CURRENT_WEEK = CURRENT_WEEK + WEEKS_FOR_WET_GROWTH;
      FREEZE_ENTRY:

```

PANIC: PROC OPTIONS (MAIN);

```

54 IF CURRENT_WEEK = WEEK_OF_NEXT_FREEZE THEN DO;
55   EVENT = 'FREEZE';
56   PUT EDIT (EVENT)(SKIP,A);
57   GO TO END_YEAR;
58   END;
59
60 DRY_SOIL_ENTRY:
61 IF CURRENT_WEEK = WEEK_SOIL_WILL_GO_DRY THEN DO;
62   EVENT = 'DRY SOIL';
63   PUT EDIT (EVENT)(SKIP,A);
64   WEEK_OF_NEXT_EVENT = MIN (WEEK_OF_REFILL,
65     WEEK_OF_NEXT_FREEZE);
66   WEEKS_FOR_DRY_GROWTH = WEEK_OF_NEXT_EVENT
67     - CURRENT_WEEK;
68   TOTAL_WEEKS_OF_DRY_GROWTH = TOTAL_WEEKS_OF_DRY_GROWTH
69     + WEEKS_FOR_DRY_GROWTH;
70   MAX_ABOVEGROUND_BIOMASS_INCR = TOTAL_ROOT_BIOMASS
71     * DRY_GROWTH_RATE
72     (WEEKS_FOR_DRY_GROWTH);
73   /*
74   /******
75   /* GRAZE REMOVAL
76   /******
77   /*
78   GRAZE_REMOVED = 10;
79   ABOVEGROUND_BIOMASS = ABOVEGROUND_BIOMASS
80     + MAX_ABOVEGROUND_BIOMASS_INCR
81     - GRAZE_REMOVED;
82   /*
83   /******
84   /* ASSUME 1:10 ROOT:SHOOT RATIO
85   /******
86   /*
87   ROOT_BIOMASS = ABOVEGROUND_BIOMASS / 10;
88   /*
89   /******
90   /* UPDATE WEEK COUNTER FOR DRY GROWTH PERIOD
91   /******
92   /*
93   CURRENT_WEEK = CURRENT_WEEK + WEEKS_FOR_DRY_GROWTH;
94   IF CURRENT_WEEK = WEEK_OF_NEXT_FREEZE
95     THEN GO TO FREEZE_ENTRY;
96   ELSE GO TO REFILL_ENTRY;
97   END;
98
99 REFILL_ENTRY:
100 WEEK_OF_NEXT_FILL = CURRENT_WEEK;
101 WEEKS_FILLED = WEEKS_REFILLED;
102 GO TO FILL;
103 END_YEAR:
104 WEEK_OF_LAST_FREEZE = WEEK_OF_NEXT_FREEZE;

```

PANIC: PROC OPTIONS (MAIN):

```
79 STANDING_DEAD = ABOVEGROUND_BIOMASS * .8;  
80 LITTER = ABOVEGROUND_BIOMASS * .2;  
81 ABOVEGROUND_BIOMASS = 0;  
82 PUT EDIT {CURRENT_YEAR,  
    TOTAL_WEEKS_OF_WET_GROWTH,  
    TOTAL_WEEKS_OF_DRY_GROWTH,  
    ABOVEGROUND_BIOMASS,  
    TOTAL_ROOT_BIOMASS,  
    ROOT_CROWN_BIOMASS,  
    STANDING_DEAD,  
    LITTER}  
    (SKIP, COL(11), F(2), COL(14), F(2), COL(17), F(2), COL(20), F(5),  
      COL(27), F(5), COL(34), F(5), COL(41), F(5), COL(48), F(5));  
83 END;  
84 END PANIC;
```

## ATTRIBUTE AND CROSS-REFERENCE TABLE

DCL NO.	IDENTIFIER	ATTRIBUTES AND REFERENCES
	ABOVEGROUND_BIOMASS	AUTOMATIC,ALIGNED,DECIMAL,FLOAT(SINGLE) 50,50,51,68,68,69,79,80,81,82
	AMOUNT_OF_LITTER_DECOMPOSED	AUTOMATIC,ALIGNED,DECIMAL,FLOAT(SINGLE) 37,38
	CURRENT_WEEK	AUTOMATIC,ALIGNED,DECIMAL,FLOAT(SINGLE) 30,43,43,44,46,52,52,53,59,64,70,71,75
	CURRENT_YEAR	AUTOMATIC,ALIGNED,DECIMAL,FLOAT(SINGLE) 19,82
2	DRY_GROWTH_RATE	{10}AUTOMATIC,ALIGNED,DECIMAL,FLOAT(SINGLE) 15,65
59	DRY_SOIL_ENTRY	STATEMENT LABEL CONSTANT
78	END_YEAR	STATEMENT LABEL CONSTANT 57
3	EVENT	AUTOMATIC,UNALIGNED,STRING(20),CHARACTER,VARYING 32,33,41,42,55,56,61,62
32	FILL	STATEMENT LABEL CONSTANT 77
53	FREEZE_ENTRY	STATEMENT LABEL CONSTANT 72
	GRAZE_REMOVED	AUTOMATIC,ALIGNED,DECIMAL,FLOAT(SINGLE) 49,50,67,68
	#_YEARS_TO_RUN	AUTOMATIC,ALIGNED,DECIMAL,FLOAT(SINGLE) 14,19
	***** LITTER	AUTOMATIC,ALIGNED,BINARY,FIXED(15,0) 35,35,37,38,38,80,82
	***** MAX_ABOVEGROUND_BIOMASS_INCR	AUTOMATIC,ALIGNED,BINARY,FIXED(15,0) 48,50,66,68
	MIN	GENERIC,BUILT-IN FUNCTION 45,63
4	MORTALITY_OF_SURMERGED_CROWNS	{10}AUTOMATIC,ALIGNED,INITIAL,DECIMAL,FLOAT(SINGLE) 39
	***** NEW_ROOT_CROWNS	AUTOMATIC,ALIGNED,BINARY,FIXED(15,0) 27,28

DCL NO.	IDENTIFIER	ATTRIBUTES AND REFERENCES
1	PANIC	ENTRY, DECIMAL, FLOAT(SINGLE)
	PREFILL_DURATION	AUTOMATIC, ALIGNED, DECIMAL, FLOAT(SINGLE) 31
75	REFILL_ENTRY	STATEMENT LABEL CONSTANT 73
	ROOT_BIOMASS	AUTOMATIC, ALIGNED, DECIMAL, FLOAT(SINGLE) 51, 69
	ROOT_CROWN_BIOMASS	AUTOMATIC, ALIGNED, DECIMAL, FLOAT(SINGLE) 26, 28, 29, 39, 40, 40, 82
	ROOT_CROWN_MORTALITY	AUTOMATIC, ALIGNED, DECIMAL, FLOAT(SINGLE) 39, 40
	ROOT_INCREMENT	AUTOMATIC, ALIGNED, DECIMAL, FLOAT(SINGLE) 26, 27
	STANDING_DEAD	AUTOMATIC, ALIGNED, DECIMAL, FLOAT(SINGLE) 35, 36, 79, 82
	SYSIN	FILE, EXTERNAL 16, 23
	SYSPRINT	FILE, EXTERNAL 17, 18, 33, 42, 56, 62, 82
	TOTAL_ROOT_BIOMASS	AUTOMATIC, ALIGNED, DECIMAL, FLOAT(SINGLE) 26, 29, 48, 66, 82
	TOTAL_WEEKS_FILLED	AUTOMATIC, ALIGNED, DECIMAL, FLOAT(SINGLE) 20, 34, 34
	TOTAL_WEEKS_OF_DRY_GROWTH	AUTOMATIC, ALIGNED, DECIMAL, FLOAT(SINGLE) 22, 65, 65, 82
	TOTAL_WEEKS_OF_WET_GROWTH	AUTOMATIC, ALIGNED, DECIMAL, FLOAT(SINGLE) 21, 47, 47, 82
	WEEK_OF_LAST_FREEZE	AUTOMATIC, ALIGNED, DECIMAL, FLOAT(SINGLE) 6, 31, 78
	WEEK_OF_NEXT_EVENT	AUTOMATIC, ALIGNED, DECIMAL, FLOAT(SINGLE) 45, 46, 63, 64
	WEEK_OF_NEXT_FILL	AUTOMATIC, ALIGNED, DECIMAL, FLOAT(SINGLE) 8, 30, 31, 75
	WEEK_OF_NEXT_FREEZE	AUTOMATIC, ALIGNED, DECIMAL, FLOAT(SINGLE)

DCL NO.	IDENTIFIER	ATTRIBUTES AND REFERENCES
	WEEK_OF_PEFILL	7,45,53,63,71,78 AUTOMATIC,ALIGNED,DECIMAL,FLOAT(SINGLE) 11,24,25,45,63
	WEEK_SOIL_WILL_GO_DRY	AUTOMATIC,ALIGNED,DECIMAL,FLOAT(SINGLE) 44,45,59
	WEEKS_FILLED	AUTOMATIC,ALIGNED,DECIMAL,FLOAT(SINGLE) 9,13,34,37,39,43,76
	WEEKS_FOR_DRY_GROWTH	AUTOMATIC,ALIGNED,DECIMAL,FLOAT(SINGLE) 64,65,66,70
	WEEKS_FOR_WET_GROWTH	AUTOMATIC,ALIGNED,DECIMAL,FLOAT(SINGLE) 46,47,48,52
	WEEKS_REFILLED	AUTOMATIC,ALIGNED,DECIMAL,FLOAT(SINGLE) 12,76
	WEEKS_SOIL_WET	AUTOMATIC,ALIGNED,DECIMAL,FLOAT(SINGLE) 10,44
5	WET_GROWTH_RATE	{10}AUTOMATIC,ALIGNED,INITIAL,DECIMAL,FLOAT(SINGLE) 48
41	WET_SOIL_ENTRY	STATEMENT LABEL CONSTANT